
Sheet 1/9

下京1



<u></u>				
Nr	Ċ	M	Y	K
A01	5	15	20	0
A02	10	30	35	ð
E0A	.15	40	45	0 0
A04	20	50	70 100	o
A05	60	. 80 70	100	ă
A06 A07	0	100	70	Ö
A08	70	100	Ó	0
A09	100	0	70	0
A10	70	Ò	100	O
A11	100	70.	O	٥
A12	. 100	100	0	٥
A13	100	0	100	0
A14	0	100	100 90	0 6 5
A15	95	90	9 0 40	0.
A16	50 100	40 0	0	ō.
A17 A18	100	Ö	ō	ò
A19	ŏ	100	٥	0
A20	ō	10	0	0
A21	O.	٥	100	0.
A22	٥	Ď	10	0
B01	40	40	40	0
B02	5	0	Ů 0	0 0
B03	0	5 0	5	0
B04 B05	0 5	15	20	ō
B06	10	30	35	٥
B07	15	40	45	0
B08	20	50	70	0
B09	60	80	100	0
B10	O	70	100	0
B11	0	100	7 0 0	0 D
B12	70	100 0	70	0
B13 B14	100 70	0 .	100	Ō,
B15	100	70	0	Ö
B16	100	. 100	0	0
B17	100	0	100	0
B18	O	100	100	. 0
B19	95	90	90 40	65 0
B20	50	40 0	0	o o
B21 B22	100 10	ā	ő	ō
C01	0	100	ō	0.
C02	Ö	10	0	Q
C03	Ò	a	100	8
C04	. 0	O ·	10	0
C05	40	40	40	0
C06	5	0	0	٥
C07	0	5	0 5	. 0
802	0 5	0 15	20	٥
C09 C10	5 10	30	35	ō
C11	15	40	45	0
	1767			

Process and Device for Calibrating Digital 18. Input Devices Beisch et al.

Attorney Docket No.: 055842/0104 Sheet 3/9

*******		\		
C13 4 5 6 7 8 9 0 10 10 10 10 10 10 10 10 10 10 10 10 1	20 80 0 70 100 100 100 0 50 100 100 100 100 100 100 100 100 100 1	50 70 10 10 10 10 10 10 10 10 10 1	70 100 100 0 100 90 40 0 0 100 90 40 0 0 100 100 100 100 100 100 100 100	

Fig. 2 (cont.)

Process and Device for Calibrating Digital Input Devices
Beisch et al.
Attorney Docket No.: 055842/0104
Sheet 40

••				
-				-
F02	70	100	٥	آ ه
F03	100	Ö	70	Ö
F04	70	o o	100	ā
F05	100	70	Ö	ă
F06	100	100	Õ	å
F07	100	0	100	. 0
F08	0	100	100	. 0
F09	95	90	. 90	65
F10	50	40	40	
F11	100	ō	0	0 '
F12	10	Ö		
F13	0	100	0	0
F14	. 6	10	0	0
F15	ŏ	0	100	Q A
F16	ā	ō	100	0
F17	40	40	40	. 0
F18	5	0	0 .	0
F19	å	. 5	0	0
F20	Ö	0	5	. 0
F21	5	15	20	0
F22	10	30	25 35	. 0
G01	15	40	45	0
G02	. 20	50	7 0	0 .
G03	60	80	100	0
G04	0	70	100	0
G05	ō.	100	70	0
G06	70	100	0 .	0
G07	100	0	0 20	0
G08	70	0	100	0
G09	100	7a	0	0 `
G10	100	100	Ö	0
G11	100	0	100	O
G12	0	100	100	0
G13	95	90	90	0
G14 .	50	40	40	65
315	100	0	0	0
G16	10	0	o o	0
G17	Ö	100	0	0
G18	Ď	10	٥	0
319	ō	ő	100	û O
320	ō	ő	10	Ö
321	40	40	40	0
322	5	۵	۵	. 0
101	ā	5	ō	۵
102	ā	Ö	5	Ö
103	5	15	20	0
104	10	30	35	0
105	15	40	45	Ö
106	20	50	70	0
107	60	80	100	0
108	ā	70	100	٥
109	ā	100	70	
110	70	100	٥	0
111	100	0	70	0
112	70	0	100	0
113	100	7ú		0
	IUU	70	C C	0

Fig. 2 (cont.)

Process and Device for Calibrating Digital Input Devices
Beisch et al.
Attorney Docket No.: 055842/0104
Sheet 5/9

Fig. 2 (cont.)

H14
117


Process and Device for Calibrating Digital Input Devices
Beisch et al.
Attorney Docket No.: 055842/0104
Sheet 6/9

Fig. 2 (cont.)


-				
K04	50	40	40	0
K05	100	O	O	0
K08	10	0	0	۵
K07	. 0	100	٥	Q.
K08	. 0	10	ِ ٥	0
K09	0	0	100	0
K10	0	0	10	0
K11	40	40	40	۵
K12	· 5	0	Ò	O
K13	O .	5	C	0
K14	0 .	0	· 5	ø
K15	5	15	20	۵
K18	10	30	35	O
K17	15	40	45	0
K18	20	50	70	0
K19	60	80 -	100 .	0
K20 -	0	70	100	. 0
K21	· 0	100	70	٥
K22	70	100	0	0

Nr GS1 GS2 GS3 GS4 GS5 GS6 GS7 GS8 GS9 GS10 GS11 GS12 GS13 GS14 GS15 GS16 GS17 GS18 GS19 GS19 GS20 GS21 GS22 GS23 GS24	0000000000000000000000000	M 000000000000000000000000000000000000	Y 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	X 0 3 3 3 5 100 155 200 255 400 45 55 60 100 100 65
---	---------------------------	---	---	---

The state of the s




Prozessfarbe Cyan - Farbauszug



Prozessiarbe Magenta - Farbauszug





Reisch et al.
Attorney Docket No.: 055842/0104
Sheet 9/9 Prezessiarbe Gelb - Farbauszug Fig. 6 Fis.7 Prozessfarbe Schwarz - Farbauszug

Process and Device for Calibrating Digi

Input Devices